

**DMR Copy of Record**

<b>Permit</b>					
<b>Permit #:</b>	<b>MA0000787</b>	<b>Permittee:</b>	MASSPORT AUTHORITY - LOGAN	<b>Facility:</b>	LOGAN INTERNATIONAL AIRPORT
<b>Major:</b>	No	<b>Permittee Address:</b>	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b>	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
<b>Permitted Feature:</b>	001 External Outfall	<b>Discharge:</b>	<b>001-A</b> NORTH OUTFALL - STORMWATER		

<b>Report Dates &amp; Status</b>					
<b>Monitoring Period:</b>	From 12/01/20 to 12/31/20	<b>DMR Due Date:</b>	01/15/21	<b>Status:</b>	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
<b>First Name:</b>		<b>Title:</b>		<b>Telephone:</b>	
<b>Last Name:</b>					

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.12	=	7.676	03 - MGD								01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA	
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.0 MINIMUM		<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI											V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please find attached the December 2020 Monthly Sampling Report.

**Attachments**

Name	Type	Size
December2020NPDESMonitoringReport.pdf	pdf	135088.0

**Report Last Saved By**  
**MASSPORT AUTHORITY - LOGAN**

User: rjoycelsp  
Name: Rosanne Joyce

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 12/01/20 to 12/31/20	DMR Due Date:	01/15/21
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	15.0				=	15.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.07			=	0.07	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	670.0			=	670.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	4400.0			=	4400.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

**Attachments**

No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:50 (Time Zone: -05:00)

**Report Last Signed By**

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-14 08:37 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>		<b>Permittee:</b> MASSPORT AUTHORITY - LOGAN		<b>Facility:</b> LOGAN INTERNATIONAL AIRPORT	
<b>Permit #:</b> MA0000787	<b>Major:</b> No	<b>Permittee Address:</b> ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b> ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
<b>Permitted Feature:</b> 002 External Outfall	<b>Discharge:</b> 002-A WEST OUTFALL - STORMWATER				

<b>Report Dates &amp; Status</b>		<b>Monitoring Period:</b> From 12/01/20 to 12/31/20	<b>DMR Due Date:</b> 01/15/22	<b>Status:</b> NetDMR Validated
----------------------------------	--	---	-------------------------------	---------------------------------

**Considerations for Form Completion**

<b>Principal Executive Officer</b>		<b>First Name:</b>	<b>Title:</b>	<b>Telephone:</b>
		<b>Last Name:</b>		

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	2.485	=	19.943	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:31 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 12/01/20 to 12/31/20	DMR Due Date:	01/15/21
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	8.9				=	8.9	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	5.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.05				=	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	20.0				=	20.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	60.0				=	60.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:51 (Time Zone: -05:00)

**Report Last Signed By**  
User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-14 08:37 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 12/01/20 to 12/31/20	DMR Due Date:	01/15/21
Status:	NetDMR Validated		

**Considerations for Form Completion**  
effective 5 months after 10-1-07.

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.458	=	3.38	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.										Req Mon DAILY MX	19 - mg/L					
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:43 (Time Zone: -05:00)

**DMR Copy of Record**

**Permit**

<b>Permit #:</b> MA0000787	<b>Permittee:</b> MASSPORT AUTHORITY - LOGAN	<b>Facility:</b> LOGAN INTERNATIONAL AIRPORT
<b>Major:</b> No	<b>Permittee Address:</b> ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b> ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
<b>Permitted Feature:</b> 003 External Outfall	<b>Discharge:</b> 003-C Porter Street Dry	

**Report Dates & Status**

<b>Monitoring Period:</b> From 12/01/20 to 12/31/20	<b>DMR Due Date:</b> 01/15/21	<b>Status:</b> NetDMR Validated
---	-------------------------------	---------------------------------

**Considerations for Form Completion**

**Principal Executive Officer**

<b>First Name:</b>	<b>Title:</b>	<b>Telephone:</b>
<b>Last Name:</b>		

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	6.7				=	10.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.											Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.087				=	0.12	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	35.0				=	430.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	19.0				=	70.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

**Attachments**

No attachments.

**Report Last Saved By**

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2021-01-14 07:49 (Time Zone: -05:00)

**Report Last Signed By**

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com  
 Date/Time: 2021-01-14 08:37 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>		<b>Permittee:</b> MASSPORT AUTHORITY - LOGAN		<b>Facility:</b> LOGAN INTERNATIONAL AIRPORT	
<b>Permit #:</b> MA0000787	<b>Major:</b> No	<b>Permittee Address:</b> ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b> ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
<b>Permitted Feature:</b> 004 External Outfall	<b>Discharge:</b> 004-A MAVERICK ST OUTFALL-STORMWATER				

<b>Report Dates &amp; Status</b>		<b>Monitoring Period:</b> From 12/01/20 to 12/31/20		<b>DMR Due Date:</b> 01/15/21		<b>Status:</b> NetDMR Validated	
----------------------------------	--	---	--	-------------------------------	--	---------------------------------	--

**Considerations for Form Completion**

<b>Principal Executive Officer</b>		<b>Title:</b>		<b>Telephone:</b>	
<b>First Name:</b>					
<b>Last Name:</b>					

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.123	=	1.482	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:41 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 12/01/20 to 12/31/20	DMR Due Date:	01/15/21
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	11.0				=	11.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	3.6	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.1				=	0.1	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	10.0				=	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	30.0				=	30.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-13 14:51 (Time Zone: -05:00)

**Report Last Signed By**  
User: rjoycelsp  
Name: Rosanne Joyce  
E-Mail: rjoyce@massport.com  
Date/Time: 2021-01-14 08:37 (Time Zone: -05:00)