

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.139	=	1.63	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.98				=	7.98	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB		
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	6.4				=	6.4	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				<= 100.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4.0	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						<= 15.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.11				=	0.11	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	2600.0				=	2600.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3100.0				=	3100.0	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
October_2023_NPDES_Monitoring_Report.pdf	pdf	3082903.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN
User: BEATTIEIS
Name: Ian Beattie

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	24.0				=	24.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.26			=	0.26	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					<	10.0			<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	20.0			=	20.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:37 (Time Zone: -05:00)

Report Last Signed By

User: MSOULE01
Name: Madeline Soule
E-Mail: msoule@massport.com
Date/Time: 2023-11-10 09:32 (Time Zone: -05:00)

DMR Copy of Record

Permit		Permittee: MASSPORT AUTHORITY - LOGAN		Facility: LOGAN INTERNATIONAL AIRPORT	
Permit #: MA0000787	Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
Permitted Feature: 002 External Outfall	Discharge: 002-A WEST OUTFALL - STORMWATER				

Report Dates & Status					
Monitoring Period: From 10/01/23 to 10/31/23	DMR Due Date: 11/15/24	Status: NetDMR Validated			

Considerations for Form Completion

Principal Executive Officer					
First Name:	Title:			Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.47	=	5.209	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.6				=	7.6	12 - SU				01/30 - Monthly	GR - GRAB			
					Permit Req.		>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	9.2				=	9.2	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB		
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4.0	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.						<=	15.0 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB		
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.22				=	0.22	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB		
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	2500.0				=	2500.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB		
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3300.0				=	3300.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB		
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:38 (Time Zone: -05:00)

DMR Copy of Record

Permit

Permit #: MA0000787	Permittee: MASSPORT AUTHORITY - LOGAN	Facility: LOGAN INTERNATIONAL AIRPORT
Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature: 002 External Outfall	Discharge: 002-C West Dry	

Report Dates & Status

Monitoring Period: From 10/01/23 to 10/31/23	DMR Due Date: 11/15/23	Status: NetDMR Validated
---	-------------------------------	---------------------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	15.0				=	15.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	5.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.25				<	0.25	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	240.0				=	240.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	950.0				=	950.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
 Name: Ian Beattie
 E-Mail: beattieis@cdmsmith.com
 Date/Time: 2023-11-08 16:38 (Time Zone: -05:00)

Report Last Signed By

User: MSOULE01
 Name: Madeline Soule
 E-Mail: msoule@massport.com
 Date/Time: 2023-11-10 09:32 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.098	=	0.629	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.46				=	8.13	12 - SU				01/30 - Monthly	GR - GRAB			
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU							01/30 - Monthly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	14.3				=	25.0	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	5.8	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.						Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.16				=	0.32	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	3934.0				=	14000.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB	
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	4031.0				>	80000.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB	
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:26 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	20.0				=	44.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					=	8.0				=	8.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon DAILY MX				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.19				=	0.22	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	62.0				=	600.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	447.0				=	2100.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:51 (Time Zone: -05:00)

Report Last Signed By

User: MSOULE01
Name: Madeline Soule
E-Mail: msoule@massport.com
Date/Time: 2023-11-10 09:32 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.033	=	0.4	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.5				=	7.5	12 - SU				01/30 - Monthly	GR - GRAB			
					Permit Req.		>= 6.0 MINIMUM				<= 8.5 MAXIMUM	12 - SU							01/30 - Monthly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	24.0				=	24.0	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				<= 100.0 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4.0	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.						<= 15.0 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1.0				<	1.0	28 - ug/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.13				=	0.13	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB	
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	12000.0				=	12000.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB	
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	1500.0				=	1500.0	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB	
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:25 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 10/01/23 to 10/31/23	DMR Due Date:	11/15/23
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	20.0				=	20.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.28				=	0.28	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					<	10.0				<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the October 2023 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: BEATTIEIS
Name: Ian Beattie
E-Mail: beattieis@cdmsmith.com
Date/Time: 2023-11-08 16:39 (Time Zone: -05:00)

Report Last Signed By
User: MSOULE01
Name: Madeline Soule
E-Mail: msoule@massport.com
Date/Time: 2023-11-10 09:32 (Time Zone: -05:00)