

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.224	=	3.85	03 - MGD							01/30 - Monthly	ES - ESTIMA	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA	
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6 MINIMUM		<=	8.5 MAXIMUM	12 - SU							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.				<=	15 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI					V - Weather Related									
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Please find attached the September 2019 Monthly Sampling Report.

Attachments

Name	Type	Size
September2019NPDESMonitoringReport.pdf	pdf	54907

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp
Name:	Rosanne Joyce
E-Mail:	rjoyce@massport.com
Date/Time:	2019-10-13 15:11 (Time Zone: -04:00)

Report Last Signed By

User:	rjoycelsp
-------	-----------

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry

Report Dates & Status

Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	6			=	6	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.05			=	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	60			=	60	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	30			=	30	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 15:13 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 18:16 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/20	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.776	=	11.379	03 - MGD							01/30 - Monthly	ES - ESTIMA	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	ES - ESTIMA
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6 MINIMUM		<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI						V - Weather Related				V - Weather Related				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 17:29 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility Location:		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	7.5				=	7.5	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06				=	0.06	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	480				=	480	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	32000				=	32000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 15:24 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 18:16 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.17	=	2.204	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6 MINIMUM		<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI						V - Weather Related				V - Weather Related			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.													
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
September2019NPDESMonitoringReport.pdf	pdf	54907

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2019-10-15 10:04 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	10.7				=	20	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.													19 - mg/L
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample	=					=	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.													19 - mg/L
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.													28 - ug/L
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.06				=	0.08	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.													19 - mg/L
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	592				=	2100	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.													3Z - CFU/100mL
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	81				=	180	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.													3Z - CFU/100mL
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 17:35 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 18:16 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER		

Report Dates & Status					
Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.039	=	0.992	03 - MGD							01/30 - Monthly	ES - ESTIMA	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA	
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6 MINIMUM		<=	8.5 MAXIMUM	12 - SU							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI		S - Fire Conditions			V - Weather Related									
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.				<=	15 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI					V - Weather Related									
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI		V - Weather Related			V - Weather Related									

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 17:31 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/19 to 09/30/19	DMR Due Date:	10/15/19	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	6.8			=	6.8	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.05			<	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	200			=	200	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	300			=	300	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 15:26 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2019-10-13 18:16 (Time Zone: -04:00)