

**DMR Copy of Record**

**Permit**

<b>Permit #:</b>	<b>MA0000787</b>	<b>Permittee:</b>	MASSPORT AUTHORITY - LOGAN	<b>Facility:</b>	LOGAN INTERNATIONAL AIRPORT
<b>Major:</b>	No	<b>Permittee Address:</b>	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b>	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
<b>Permitted Feature:</b>	001 External Outfall	<b>Discharge:</b>	<b>001-A</b> NORTH OUTFALL - STORMWATER		

**Report Dates & Status**

<b>Monitoring Period:</b>	<b>From 09/01/22 to 09/30/22</b>	<b>DMR Due Date:</b>	<b>10/15/22</b>	<b>Status:</b>	<b>NetDMR Validated</b>
---------------------------	----------------------------------	----------------------	-----------------	----------------	-------------------------

**Considerations for Form Completion**

**Principal Executive Officer**

<b>First Name:</b>		<b>Title:</b>		<b>Telephone:</b>	
<b>Last Name:</b>					

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.245	=	2.263	03 - MGD								01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA	
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB		
					Permit Req.																	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample																	
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample																	
					Permit Req.											<=	15.0 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 09/01/22 to 09/30/22	DMR Due Date:	10/15/22	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	15.0				=	15.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0			<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.25			<	0.25	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					<	10.0			<	10.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	220.0			=	220.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the September 2022 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: peteroncr@cdmsmith.com  
Date/Time: 2022-10-07 14:48 (Time Zone: -04:00)

**Report Last Signed By**

User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-10-12 17:40 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 09/01/22 to 09/30/22	DMR Due Date:	10/15/23
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	0.867		6.801	03 - MGD									01/30 - Monthly	ES - ESTIMA		
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD											01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample														01/30 - Monthly	GR - GRAB	
					Permit Req.					>=	6.0 MINIMUM				<=	8.5 MAXIMUM	12 - SU				
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample																
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample																
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Value NODI											T - Environmental Conditions - Monitoring Not Possible					
34030	Benzene	1 - Effluent Gross	0	--	Sample																
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample																
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
61211	Enterococci	1 - Effluent Gross	0	--	Sample																
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample																
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 09/01/22 to 09/30/22	DMR Due Date:	10/15/22	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.4				=	9.4	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG					<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	5.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG						Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.25				<	0.25	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG						Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	120.0				=	120.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO						Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	1900.0				=	1900.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO						Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the September 2022 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-10-07 15:01 (Time Zone: -04:00)

**Report Last Signed By**

User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-10-12 17:40 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>		<b>Permit #:</b> MA0000787	<b>Permittee:</b> MASSPORT AUTHORITY - LOGAN	<b>Facility:</b> LOGAN INTERNATIONAL AIRPORT
<b>Major:</b> No	<b>Permittee Address:</b> ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b> ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
<b>Permitted Feature:</b> 003 External Outfall	<b>Discharge:</b> 003-A PORTER ST OUTFALL - STORMWATER			

<b>Report Dates &amp; Status</b>		<b>Monitoring Period:</b> From 09/01/22 to 09/30/22	<b>DMR Due Date:</b> 10/15/22	<b>Status:</b> NetDMR Validated
----------------------------------	--	---	-------------------------------	---------------------------------

**Considerations for Form Completion**  
effective 5 months after 10-1-07.

<b>Principal Executive Officer</b>		<b>First Name:</b>	<b>Title:</b>	<b>Telephone:</b>
		<b>Last Name:</b>		

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.201	=	1.349	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM				<=	8.5 MAXIMUM	12 - SU				
					Value NODI						T - Environmental Conditions - Monitoring Not Possible					T - Environmental Conditions - Monitoring Not Possible					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	19 - mg/L						
					Value NODI									T - Environmental Conditions - Monitoring Not Possible							
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible						

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

**DMR Copy of Record**

**Permit**

<b>Permit #:</b>	<b>MA0000787</b>	<b>Permittee:</b>	MASSPORT AUTHORITY - LOGAN	<b>Facility:</b>	LOGAN INTERNATIONAL AIRPORT
<b>Major:</b>	No	<b>Permittee Address:</b>	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	<b>Facility Location:</b>	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
<b>Permitted Feature:</b>	003 External Outfall	<b>Discharge:</b>	<b>003-C</b> Porter Street Dry		

**Report Dates & Status**

<b>Monitoring Period:</b>	From 09/01/22 to 09/30/22	<b>DMR Due Date:</b>	10/15/22	<b>Status:</b>	NetDMR Validated
---------------------------	---------------------------	----------------------	----------	----------------	------------------

**Considerations for Form Completion**

**Principal Executive Officer**

<b>First Name:</b>		<b>Title:</b>		<b>Telephone:</b>	
<b>Last Name:</b>					

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	6.4				=	7.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.									Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.16				<	0.25	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	57.0				=	320.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	268.0				=	480.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI														

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

Please see the September 2022 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

**Attachments**

No attachments.

**Report Last Saved By**

MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
 Name: Chandler Peterson  
 E-Mail: peteroncr@cdmsmith.com  
 Date/Time: 2022-10-07 15:01 (Time Zone: -04:00)

**Report Last Signed By**

User: MSOULE01  
 Name: Madeline Soule  
 E-Mail: msoule@massport.com  
 Date/Time: 2022-10-12 17:40 (Time Zone: -04:00)

**DMR Copy of Record**

<b>Permit</b>			
<b>Permit #:</b>	<b>MA0000787</b>	<b>Permittee:</b>	MASSPORT AUTHORITY - LOGAN
<b>Major:</b>	No	<b>Permittee Address:</b>	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
<b>Permitted Feature:</b>	004 External Outfall	<b>Discharge:</b>	<b>004-A</b> MAVERICK ST OUTFALL-STORMWATER
<b>Facility:</b>		<b>Facility Location:</b>	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
<b>Monitoring Period:</b>	<b>From 09/01/22 to 09/30/22</b>	<b>DMR Due Date:</b>	<b>10/15/22</b>
<b>Status:</b>	<b>NetDMR Validated</b>		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
<b>First Name:</b>		<b>Title:</b>	
<b>Last Name:</b>		<b>Telephone:</b>	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	1 - Effluent Gross	0	--	Sample	0.059		0.566	03 - MGD									01/30 - Monthly	ES - ESTIMA
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.				>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.								<=	15.0 DAILY MX	19 - mg/L				
					Value NODI									T - Environmental Conditions - Monitoring Not Possible					
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					
61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB	
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL				
					Value NODI					T - Environmental Conditions - Monitoring Not Possible				T - Environmental Conditions - Monitoring Not Possible					

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 09/01/22 to 09/30/22	DMR Due Date:	10/15/22
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	12.0				=	12.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	3.6	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					<	0.05				<	0.05	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	3.0				=	3.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	8.0				=	8.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the September 2022 monthly sampling report attached to 001-A - NORTH OUTFALL - STORMWATER DMR.

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-10-07 15:05 (Time Zone: -04:00)

**Report Last Signed By**  
User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-10-12 17:40 (Time Zone: -04:00)







## DMR Copy of Record

<b>Permit</b>																		
Permit #: <b>MA0032751</b>		Permittee: <b>MASSPORT - LOGAN AIRPORT</b>				Facility: <b>FIRE TRAINING FACILITY</b>												
Major: <b>No</b>		Permittee Address: <b>FIRE TRAINING FACILITY EAST BOSTON, MA 02128</b>				Facility Location: <b>LOGAN INTERNATIONAL AIRPORT EAST BOSTON, MA 02128</b>												
Permitted Feature: <b>001 External Outfall</b>		Discharge: <b>001-T TOXICITY TEST RESULTS OUTFALL 001</b>																
<b>Report Dates &amp; Status</b>																		
Monitoring Period: <b>From 09/01/22 to 09/30/22</b>				DMR Due Date: <b>10/15/22</b>				Status: <b>NetDMR Validated</b>										
<b>Considerations for Form Completion</b>																		
TOXICITY TESTS SHALL BE DONE ONCE PER PERMIT TERM, ALL OTHER MONTHLY DMRS SHALL BE SUBMITTED WITH A NO DATA INDICATOR CODE OF "9" AS SPECIFIED IN 2021 PERMIT. SE PERMIT FOR DETAILS.																		
<b>Principal Executive Officer</b>																		
First Name:				Title:				Telephone:										
Last Name:																		
<b>No Data Indicator (NODI)</b>																		
Form NODI: <b>--</b>																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
TAW3E	LC50 Flth 48Hr Acute Mysid. Bahia	1 - Effluent Gross	0	--	Sample Permit Req.						Req Mon MO AV MN					23 - %	01/PT - Once Per Permit Term	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
TAW6B	LC50 Flth 48Hr Acute Menidia	1 - Effluent Gross	0	--	Sample Permit Req.						Req Mon MO AV MN					23 - %	01/PT - Once Per Permit Term	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
<b>Submission Note</b>																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
<b>Edit Check Errors</b>																		
No errors.																		
<b>Comments</b>																		
<b>Attachments</b>																		
No attachments.																		
<b>Report Last Saved By</b>																		
<b>MASSPORT - LOGAN AIRPORT</b>																		
User: <b>PETERSONCR</b>				Name: <b>Chandler Peterson</b>				E-Mail: <b>petersoncr@cdmsmith.com</b>				Date/Time: <b>2022-10-07 15:41 (Time Zone: -04:00)</b>						
<b>Report Last Signed By</b>																		
User: <b>MSOULE01</b>				Name: <b>Madeline Soule</b>				E-Mail: <b>msoule@massport.com</b>				Date/Time: <b>2022-10-12 17:57 (Time Zone: -04:00)</b>						

## DMR Copy of Record

Permit																			
Permit #:	MAR053144				Permittee:	MASSACHUSETTS PORT AUTHORITY				Facility:	PAUL W. CONLEY CONTAINER TERMINAL								
Major:	No				Permittee Address:	One Harborside Drive East Boston, MA 02128				Facility Location:	700 SUMMER STREET SOUTH BOSTON, MA 02127								
Permitted Feature:	001 External Outfall				Discharge:	001-11 Fabricated Metal Products, except Coating													
Report Dates & Status																			
Monitoring Period:	From 07/01/22 to 09/30/22				DMR Due Date:	11/30/22				Status:	NetDMR Validated								
Considerations for Form Completion																			
Principal Executive Officer																			
First Name:					Title:					Telephone:									
Last Name:																			
No Data Indicator (NODI)																			
Form NODI:	--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
01094	Zinc, total recoverable	1 - Effluent Gross	0	--											= 62.4	28 - ug/L		01/90 - Quarterly	GR - GRAB
															<= 90.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--											= 532.0	28 - ug/L		01/90 - Quarterly	GR - GRAB
															<= 1100.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB
51450	Nitrite Plus Nitrate Total	1 - Effluent Gross	0	--											= 0.385	19 - mg/L		01/90 - Quarterly	GR - GRAB
															<= 0.68 MAXIMUM	19 - mg/L		01/90 - Quarterly	GR - GRAB
Submission Note																			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																			
Edit Check Errors																			
No errors.																			
Comments																			
See attached Q3 2022 sampling report.																			
Attachments																			
										Name	Type	Size							
										Conley_Terminal_DMR_Q3_2022.pdf	pdf	4601018.0							
Report Last Saved By																			
MASSACHUSETTS PORT AUTHORITY																			
User:	SUSANVINCELETTE																		
Name:	Susan Vincelette																		
E-Mail:	vincelettesg@cdsmith.com																		
Date/Time:	2022-11-22 13:25 (Time Zone: -05:00)																		
Report Last Signed By																			
User:	MSOULE01																		
Name:	Madeline Soule																		
E-Mail:	msoule@massport.com																		
Date/Time:	2022-11-23 10:38 (Time Zone: -05:00)																		

**DMR Copy of Record**

<b>Permit</b>					
Permit #:	MAR053144	Permittee:	MASSACHUSETTS PORT AUTHORITY	Facility:	PAUL W. CONLEY CONTAINER TERMINAL
Major:	No	Permittee Address:	One Harborside Drive East Boston, MA 02128	Facility Location:	700 SUMMER STREET SOUTH BOSTON, MA 02127
Permitted Feature:	001 External Outfall	Discharge:	001-Q1 Water Transportation Facilities		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 07/01/22 to 09/30/22	DMR Due Date:	11/30/22	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type				
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample												01/90 - Quarterly	GR - GRAB		
					Permit Req.														01/90 - Quarterly	GR - GRAB
					Value NODI															
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample												01/90 - Quarterly	GR - GRAB		
					Permit Req.														01/90 - Quarterly	GR - GRAB
					Value NODI															
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample												01/90 - Quarterly	GR - GRAB		
					Permit Req.														01/90 - Quarterly	GR - GRAB
					Value NODI															
X 01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample												01/90 - Quarterly	GR - GRAB		
					Permit Req.														01/90 - Quarterly	GR - GRAB
					Value NODI															

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
01119	Copper, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes

**Comments**  
Please see the Q3 2022 sampling report attached to 001-11 External Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
**MASSACHUSETTS PORT AUTHORITY**

User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-11-23 10:14 (Time Zone: -05:00)

**Report Last Signed By**

User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-11-23 10:38 (Time Zone: -05:00)

## DMR Copy of Record

Permit					
Permit #:	MAR053144	Permittee:	MASSACHUSETTS PORT AUTHORITY	Facility:	PAUL W. CONLEY CONTAINER TERMINAL
Major:	No	Permittee Address:	One Harborside Drive East Boston, MA 02128	Facility Location:	700 SUMMER STREET SOUTH BOSTON, MA 02127
Permitted Feature:	005 External Outfall	Discharge:	005-11 Fabricated Metal Products, except Coating		

### Report Dates & Status

Monitoring Period:	From 07/01/22 to 09/30/22	DMR Due Date:	11/30/22	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3
X 01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
X 01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
51450	Nitrite Plus Nitrate Total	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
01104	Aluminum, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes
01094	Zinc, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes

### Comments

Please see the Q3 2022 sampling report attached to 001-11 External Outfall

### Attachments

No attachments.

### Report Last Saved By

MASSACHUSETTS PORT AUTHORITY

User: MSOULE01  
 Name: Madeline Soule  
 E-Mail: msoule@massport.com  
 Date/Time: 2022-11-23 10:14 (Time Zone: -05:00)

### Report Last Signed By

User: MSOULE01  
 Name: Madeline Soule  
 E-Mail: msoule@massport.com  
 Date/Time: 2022-11-23 10:38 (Time Zone: -05:00)

## DMR Copy of Record

<b>Permit</b>		<b>Permit #:</b> MAR053144		<b>Permittee:</b> MASSACHUSETTS PORT AUTHORITY		<b>Facility:</b> PAUL W. CONLEY CONTAINER TERMINAL	
<b>Major:</b> No		<b>Permittee Address:</b> One Harborside Drive East Boston, MA 02128		<b>Facility Location:</b> 700 SUMMER STREET SOUTH BOSTON, MA 02127			
<b>Permitted Feature:</b> 005 External Outfall		<b>Discharge:</b> 005-Q1 Water Transportation Facilities					

### Report Dates & Status

<b>Monitoring Period:</b> From 07/01/22 to 09/30/22	<b>DMR Due Date:</b> 11/30/22	<b>Status:</b> NetDMR Validated
---	-------------------------------	---------------------------------

### Considerations for Form Completion

### Principal Executive Officer

<b>First Name:</b>	<b>Title:</b>	<b>Telephone:</b>
<b>Last Name:</b>		

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3
X 01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
X 01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
X 01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
01119	Copper, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes
01104	Aluminum, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes
01094	Zinc, total recoverable	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. <b>Please verify that the value you have provided is correct.</b>	Yes

### Comments

Please see the Q3 2022 sampling report attached to 001-11 External Outfall

### Attachments

No attachments.

### Report Last Saved By

MASSACHUSETTS PORT AUTHORITY

User: MSOULE01  
 Name: Madeline Soule  
 E-Mail: msoule@massport.com  
 Date/Time: 2022-11-23 10:15 (Time Zone: -05:00)

### Report Last Signed By

User: MSOULE01  
 Name: Madeline Soule  
 E-Mail: msoule@massport.com  
 Date/Time: 2022-11-23 10:38 (Time Zone: -05:00)

## DMR Copy of Record

<b>Permit</b>																		
Permit #: <b>MAR053144</b>		Permittee: MASSACHUSETTS PORT AUTHORITY				Facility: PAUL W. CONLEY CONTAINER TERMINAL												
Major: No		Permittee Address: One Harborside Drive East Boston, MA 02128				Facility Location: 700 SUMMER STREET SOUTH BOSTON, MA 02127												
Permitted Feature: 009 External Outfall		Discharge: <b>009-11</b> Fabricated Metal Products, except Coating																
<b>Report Dates &amp; Status</b>																		
Monitoring Period: From 07/01/22 to 09/30/22				DMR Due Date: 11/30/22				Status: <b>NetDMR Validated</b>										
<b>Considerations for Form Completion</b>																		
<b>Principal Executive Officer</b>																		
First Name:				Title:				Telephone:										
Last Name:																		
<b>No Data Indicator (NODI)</b>																		
Form NODI: --																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	90.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	1100.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
51450	Nitrite Plus Nitrate Total	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	0.68 MAXIMUM	19 - mg/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
<b>Submission Note</b>																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
<b>Edit Check Errors</b>																		
No errors.																		
<b>Comments</b>																		
Please see the Q3 2022 sampling report attached to 001-11 External Outfall																		
<b>Attachments</b>																		
No attachments.																		
<b>Report Last Saved By</b>																		
MASSACHUSETTS PORT AUTHORITY																		
User: PETERSONCR				Name: Chandler Peterson				E-Mail: petersoncr@cdsmith.com				Date/Time: 2022-11-18 18:32 (Time Zone: -05:00)						
<b>Report Last Signed By</b>																		
User: MSOULE01				Name: Madeline Soule				E-Mail: msoule@massport.com				Date/Time: 2022-11-23 10:38 (Time Zone: -05:00)						



**DMR Copy of Record**

<b>Permit</b>	
Permit #: <b>MAR053144</b>	Permittee: MASSACHUSETTS PORT AUTHORITY
Major: No	Permittee Address: One Harborside Drive East Boston, MA 02128
Permitted Feature: 009 External Outfall	Discharge: <b>009-Q1</b> Water Transportation Facilities
Facility: PAUL W. CONLEY CONTAINER TERMINAL	Facility Location: 700 SUMMER STREET SOUTH BOSTON, MA 02127

<b>Report Dates &amp; Status</b>	
Monitoring Period: <b>From 07/01/22 to 09/30/22</b>	DMR Due Date: <b>11/30/22</b>
Status: <b>NetDMR Validated</b>	

**Considerations for Form Completion**

<b>Principal Executive Officer</b>	
First Name:	Title:
Last Name:	Telephone:

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Quantity or Loading					Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2			
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Value NODI						<=	90.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB	
												A - General Permit Exemption				
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Value NODI						<=	1100.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB	
												A - General Permit Exemption				
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Value NODI						<=	210.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB	
												A - General Permit Exemption				
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Value NODI						<=	4.8 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB	
												A - General Permit Exemption				

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please see the Q3 2022 sampling report attached to 001-11 External Outfall

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSACHUSETTS PORT AUTHORITY  
User: PETERSONCR  
Name: Chandler Peterson  
E-Mail: petersoncr@cdmsmith.com  
Date/Time: 2022-11-18 18:32 (Time Zone: -05:00)

**Report Last Signed By**  
User: MSOULE01  
Name: Madeline Soule  
E-Mail: msoule@massport.com  
Date/Time: 2022-11-23 10:38 (Time Zone: -05:00)

## DMR Copy of Record

Permit																		
Permit #:	MAR053144				Permittee:	MASSACHUSETTS PORT AUTHORITY				Facility:	PAUL W. CONLEY CONTAINER TERMINAL							
Major:	No				Permittee Address:	One Harborside Drive East Boston, MA 02128				Facility Location:	700 SUMMER STREET SOUTH BOSTON, MA 02127							
Permitted Feature:	011 External Outfall				Discharge:	011-11 Fabricated Metal Products, except Coating												
Report Dates & Status																		
Monitoring Period:	From 07/01/22 to 09/30/22				DMR Due Date:	11/30/22				Status:	NetDMR Validated							
Considerations for Form Completion																		
Principal Executive Officer																		
First Name:					Title:					Telephone:								
Last Name:																		
No Data Indicator (NODI)																		
Form NODI:	--																	
Table Headers																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	90.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	1100.0 MAXIMUM	28 - ug/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
51450	Nitrite Plus Nitrate Total	1 - Effluent Gross	0	--	Sample													
					Permit Req.						<=	0.68 MAXIMUM	19 - mg/L		01/90 - Quarterly	GR - GRAB		
					Value NODI							A - General Permit Exemption						
Submission Note																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
Edit Check Errors																		
No errors.																		
Comments																		
Please see the Q3 2022 sampling report attached to 001-11 External Outfall																		
Attachments																		
No attachments.																		
Report Last Saved By																		
MASSACHUSETTS PORT AUTHORITY																		
User:	PETERSONCR																	
Name:	Chandler Peterson																	
E-Mail:	petersoncr@cdsmith.com																	
Date/Time:	2022-11-18 18:32 (Time Zone: -05:00)																	
Report Last Signed By																		
User:	MSOULE01																	
Name:	Madeline Soule																	
E-Mail:	msoule@massport.com																	
Date/Time:	2022-11-23 10:38 (Time Zone: -05:00)																	

## DMR Copy of Record

Permit																				
Permit #:		MAR053144		Permittee:			MASSACHUSETTS PORT AUTHORITY			Facility:		PAUL W. CONLEY CONTAINER TERMINAL								
Major:		No		Permittee Address:			One Harborside Drive East Boston, MA 02128			Facility Location:		700 SUMMER STREET SOUTH BOSTON, MA 02127								
Permitted Feature:		011 External Outfall		Discharge:			011-Q1 Water Transportation Facilities													
Report Dates & Status																				
Monitoring Period:				From 07/01/22 to 09/30/22				DMR Due Date:				11/30/22				Status:	NetDMR Validated			
Considerations for Form Completion																				
Principal Executive Officer																				
First Name:				Last Name:				Title:				Telephone:								
No Data Indicator (NODI)																				
Form NODI:		--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
01094	Zinc, total recoverable	1 - Effluent Gross	0	--	Sample											<=	90.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.												A - General Permit Exemption			
					Value NODI															
01104	Aluminum, total recoverable	1 - Effluent Gross	0	--	Sample											<=	1100.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.												A - General Permit Exemption			
					Value NODI															
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample											<=	210.0 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.												A - General Permit Exemption			
					Value NODI															
01119	Copper, total recoverable	1 - Effluent Gross	0	--	Sample											<=	4.8 MAXIMUM	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.												A - General Permit Exemption			
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Please see the Q3 2022 sampling report attached to 001-11 External Outfall																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSACHUSETTS PORT AUTHORITY																				
User:		PETERSONCR																		
Name:		Chandler Peterson																		
E-Mail:		petersoncr@cdmsmith.com																		
Date/Time:		2022-11-18 18:31 (Time Zone: -05:00)																		
Report Last Signed By																				
User:		MSOULE01																		
Name:		Madeline Soule																		
E-Mail:		msoule@massport.com																		
Date/Time:		2022-11-23 10:38 (Time Zone: -05:00)																		