

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.7	=	4.99	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.47				=	6.47	12 - SU				01/30 - Monthly	GR - GRAB			
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB	
					Value NODI																
X 00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	120				=	120	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG			<=	100 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB		
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	5.9	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.					<=	15 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB		
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1	28 - ug/L					01/30 - Monthly	GR - GRAB			
					Permit Req.					Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L				01/30 - Monthly	GR - GRAB		
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.36				=	0.36	19 - mg/L				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB		
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	460				=	460	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB			
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	5400				=	5400	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB			
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Parameter Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
00530	Solids, total suspended	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. (Error Code: 1)	Yes

Comments
Please find attached the discharge monitoring report for December.

Attachments

Name	Type	Size
December2013and4thQuarter2013NPDESMonitoringReport.pdf	pdf	71381

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	jstolecki@massport.com	Date/Time:	2014-01-15 11:52 (Time Zone: -05:00)
Name:	James Stolecki		
E-Mail:	jstolecki@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	13			=	13	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.17			=	0.17	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	2200			=	2200	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	360			=	360	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: jstolecki@massport.com

Date/Time: 2014-01-15 12:06 (Time Zone: -05:00)

Name: James Stolecki

E-Mail: jstolecki@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/15
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	2.29	=	17.35	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.48				=	6.48			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM						<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	15				=	15			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				<=	100 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.									<=	15 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.										Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.07				=	0.07			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.										Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	1200				=	1200			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.										Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	70				=	70			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.										Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	jstolecki@massport.com	Date/Time:	2014-01-15 12:11 (Time Zone: -05:00)
Name:	James Stolecki		
E-Mail:	jstolecki@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	23			=	23	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.14			=	0.14	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	2200			=	2200	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	220			=	220	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: jstolecki@massport.com

Date/Time: 2014-01-15 12:23 (Time Zone: -05:00)

Name: James Stolecki

E-Mail: jstolecki@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.29	=	3.47	03 - MGD							01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA		
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.27				=	7.66			12 - SU		01/30 - Monthly	GR - GRAB		
					Permit Req.		>=	6 MINIMUM							<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	115				=	160			19 - mg/L		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	17			19 - mg/L		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0				<	1			28 - ug/L		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.197				=	0.53			19 - mg/L		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	373				=	3500			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	48				=	1800			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB		
					Permit Req.														01/30 - Monthly	GR - GRAB
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	jstolecki@massport.com	Date/Time:	2014-01-15 12:32 (Time Zone: -05:00)
Name:	James Stolecki		
E-Mail:	jstolecki@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	67			=	140	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					=	16			=	16	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	0			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.173			=	0.2	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	195			=	4600	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	71			=	380	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: jstolecki@massport.com

Date/Time: 2014-01-15 12:35 (Time Zone: -05:00)

Name: James Stolecki

E-Mail: jstolecki@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.23	=	0.16	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.53				=	6.53			12 - SU			01/30 - Monthly	GR - GRAB		
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU					01/30 - Monthly	GR - GRAB
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	29				=	29			19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.						<=	100 DAILY MX			19 - mg/L					01/30 - Monthly	GR - GRAB
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.						<=	15 DAILY MX			19 - mg/L					01/30 - Monthly	GR - GRAB
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1			28 - ug/L			01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	28 - ug/L					01/30 - Monthly	GR - GRAB
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.05				=	0.05			19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	19 - mg/L					01/30 - Monthly	GR - GRAB
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	80				=	80			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	3Z - CFU/100mL					01/30 - Monthly	GR - GRAB
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	4600				=	4600			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	3Z - CFU/100mL					01/30 - Monthly	GR - GRAB
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	jstolecki@massport.com	Date/Time:	2014-01-15 12:45 (Time Zone: -05:00)
Name:	James Stolecki		
E-Mail:	jstolecki@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/13 to 12/31/13	DMR Due Date:	01/15/14	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	22			=	22	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.08			=	0.08	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	140			=	140	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	76			=	76	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: jstolecki@massport.com

Date/Time: 2014-01-15 12:46 (Time Zone: -05:00)

Name: James Stolecki

E-Mail: jstolecki@massport.com