

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15	Status:	NetDMR Validated

Considerations for Form Completion					
---	--	--	--	--	--

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)					
Form NODI:	--				

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1				Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.27	=	3.01	03 - MGD						01/30 - Monthly	ES - ESTIMA	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.14				=	8.14	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU				01/30 - Monthly	GR - GRAB
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	<	5				<	5	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.			Req Mon MO AVG			<=	100 DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	4.5	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.			Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L				01/30 - Monthly	GR - GRAB
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.14				=	0.14	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.			Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	1000				=	1000	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.			Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	2200				=	2200	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.			Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please find attached the November 2015 Monthly Sampling report.

Attachments		
Name	Type	Size
November2015NPDESMonitoringReport.pdf	pdf	108925

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-12-14 08:16 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit

Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry		

Report Dates & Status

Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	10			=	10	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.15			=	0.15	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	420			=	420	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	29000			=	29000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-12-14 08:21 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/16
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.9	=	10.73	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.48				=	8.48			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU	01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	7.4				=	7.4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG		<=	100 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.24				=	0.24			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	900				=	900			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	350				=	350			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com | Date/Time: 2015-12-14 08:53 (Time Zone: -05:00)
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.4				=	9.4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.18				=	0.18	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	520				=	520	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	22000				=	22000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time: 2015-12-14 08:28 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.18	=	2.19	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.22				=	6.59	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	15				=	30	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0				<	1	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.103				=	0.14	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	766				=	5100	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	233				=	7900	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-12-14 08:26 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample				=	33			=	72	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample							<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample				=	0			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample				=	0.157			=	0.17	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample				=	47			=	170	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample				=	8.9			=	80	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.												01/30 - Monthly	GR - GRAB
					Value NODI													

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time:

2015-12-14 08:35 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15
Status:	NetDMR Validated		

Considerations for Form Completion			
---	--	--	--

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)			
Form NODI:	--		

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	-0.04	=	0.71	03 - MGD							01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA			
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.32				=	8.32			12 - SU		01/30 - Monthly	GR - GRAB			
					Permit Req.		>=	6 MINIMUM							<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	5.8				=	5.8			19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG					<=	100 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB		
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample										28 - ug/L		01/30 - Monthly	GR - GRAB			
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.19				=	0.19			19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG										01/30 - Monthly	GR - GRAB	
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	1700				=	1700			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MOAV GEO										01/30 - Monthly	GR - GRAB	
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	11000				=	11000			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MOAV GEO										01/30 - Monthly	GR - GRAB	
					Value NODI																

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-12-14 08:24 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 11/01/15 to 11/30/15	DMR Due Date:	12/15/15	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	14			=	14	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.13			=	0.13	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	60			=	60	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	770			=	770	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time: 2015-12-14 08:32 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com