

## DMR Copy of Record

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15	Status:	NetDMR Validated
<b>Considerations for Form Completion</b>					

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.77	=	1.8	03 - MGD								01/30 - Monthly	ES - ESTIMA
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample					>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample									<=	100 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				E - Analysis Not Conducted/No Sample			
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<=	15 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										E - Analysis Not Conducted/No Sample			
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
					Sample													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
					Sample													
61211	Enterococci	1 - Effluent Gross	0	--	Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
					Sample													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please find attached the February 2015 Monitoring Report.

<b>Attachments</b>		
Name	Type	Size
February2015NPDESMonitoringReport.pdf	pdf	2134622

**Report Last Saved By**  
**MASSPORT AUTHORITY - LOGAN**

User:	cwashington@massport.com	Date/Time:	2015-03-10 15:38 (Time Zone: -04:00)
Name:	Cheryl Washington		
E-Mail:	cwashington@massport.com		

## DMR Copy of Record

Permit																				
Permit #:	MA0000787			Permittee:	MASSPORT AUTHORITY - LOGAN				Facility:	LOGAN INTERNATIONAL AIRPORT										
Major:	No			Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909				Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128										
Permitted Feature:	001 External Outfall			Discharge:	001-C North Dry															
Report Dates & Status																				
Monitoring Period:	From 02/01/15 to 02/28/15			DMR Due Date:	03/15/15				Status:	NetDMR Validated										
Considerations for Form Completion																				
Principal Executive Officer																				
First Name:					Title:					Telephone:										
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Table Headers																				
Code	Parameter		Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended		1 - Effluent Gross	0	--							=	42			=	42	19 - mg/L	01/30 - Monthly	GR - GRAB
X 00556	Oil & Grease		1 - Effluent Gross	0	--											=	18	19 - mg/L	01/30 - Monthly	GR - GRAB
34030	Benzene		1 - Effluent Gross	0	--							<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB
38260	Surfactants [MBAS]		1 - Effluent Gross	0	--							=	0.28			=	0.28	19 - mg/L	01/30 - Monthly	GR - GRAB
61211	Enterococci		1 - Effluent Gross	0	--							=	160			=	160	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
74055	Coliform, fecal general		1 - Effluent Gross	0	--							<	10			<	10	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
Parameter		Monitoring Location	Field	Type	Description	Acknowledge														
Code	Name																			
00556	Oil & Grease	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. (Error Code: 1)	Yes														
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoyce@massport.com				Date/Time:	2015-03-10 15:18 (Time Zone: -04:00)														
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/16
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								
					Value NODI		E - Analysis Not Conducted/No Sample		E - Analysis Not Conducted/No Sample									
00400	pH	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.				>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU			
					Value NODI					E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG			<=	100 DAILY MX	19 - mg/L			
					Value NODI					E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample				
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.								<=	15 DAILY MX	19 - mg/L			
					Value NODI									E - Analysis Not Conducted/No Sample				
34030	Benzene	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L			
					Value NODI					E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample				
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L			
					Value NODI					E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample				
X 61211	Enterococci	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample												01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL			
					Value NODI					E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample				

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

Parameter		Monitoring Location	Field	Type	Description	Acknowledge
Code	Name					
61211	Enterococci	1 - Effluent Gross	All	Soft	All permit limit values for the Parameter are missing sample values or NODI selection. (Error Code: -1)	Yes

**Comments**

**Attachments**

No attachments.

**Report Last Saved By**

**MASSPORT AUTHORITY - LOGAN**

User: rjoyce@massport.com

Date/Time: 2015-03-10 15:33 (Time Zone: -04:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2				Qualifier 3	Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG				<=	100 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample					E - Analysis Not Conducted/No Sample			
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<=	5 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.											E - Analysis Not Conducted/No Sample			
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample					E - Analysis Not Conducted/No Sample			
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample					E - Analysis Not Conducted/No Sample			
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample					E - Analysis Not Conducted/No Sample			
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample					E - Analysis Not Conducted/No Sample			
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	cwashington@massport.com	Date/Time:	2015-03-09 14:16 (Time Zone: -04:00)
Name:	Cheryl Washington		
E-Mail:	cwashington@massport.com		

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15
Status:	NetDMR Validated		

**Considerations for Form Completion**  
effective 5 months after 10-1-07.

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.37	=	2.19	03 - MGD							01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA		
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample															
					Permit Req.															
					Value NODI															

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-03-10 15:34 (Time Zone: -04:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2				Qualifier 3	Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample														
					Permit Req.														
					Value NODI														

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-03-10 15:35 (Time Zone: -04:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

# DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.13	=	0.95	03 - MGD								01/30 - Monthly	ES - ESTIMA
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample					>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU	01/30 - Monthly	GR - GRAB
					Permit Req.						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MO AVG			<=	100 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													
					Permit Req.									<=	15 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
34030	Benzene	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
61211	Enterococci	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI						E - Analysis Not Conducted/No Sample				E - Analysis Not Conducted/No Sample			

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

**Attachments**

No attachments.

**Report Last Saved By**

MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2015-03-10 15:36 (Time Zone: -04:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/15 to 02/28/15	DMR Due Date:	03/15/15
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MO AVG											
					E - Analysis Not Conducted/No Sample											
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MO AVG											
					E - Analysis Not Conducted/No Sample											
34030	Benzene	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MO AVG											
					E - Analysis Not Conducted/No Sample											
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MO AVG											
					E - Analysis Not Conducted/No Sample											
61211	Enterococci	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MOAV GEO											
					E - Analysis Not Conducted/No Sample											
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample											
					Permit Req.											
					Value NODI											
					Req Mon MOAV GEO											
					E - Analysis Not Conducted/No Sample											

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	cwashington@massport.com	Date/Time:	2015-03-09 14:19 (Time Zone: -04:00)
Name:	Cheryl Washington		
E-Mail:	cwashington@massport.com		