

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.188	=	3.687	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the attached August 2020 Monitoring Reports.

Attachments

Name	Type	Size
August2020NPDESMonitoringReport.pdf	pdf	103780.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce

DMR Copy of Record

Permit

Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry		

Report Dates & Status

Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20	Status:	NetDMR Validated
---------------------------	---------------------------	----------------------	----------	----------------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	20.0				=	20.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	3.6	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.08				=	0.08	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	100.0				=	100.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	150.0				=	150.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MassportsContinuanceofTemporarySuspensionofSWMonitoring2020.pdf	pdf	611065.0

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-09-10 11:32 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce

DMR Copy of Record

Permit		Permittee: MASSPORT AUTHORITY - LOGAN		Facility: LOGAN INTERNATIONAL AIRPORT	
Permit #: MA0000787	Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
Permitted Feature: 002 External Outfall	Discharge: 002-A WEST OUTFALL - STORMWATER				

Report Dates & Status		Monitoring Period: From 08/01/20 to 08/31/20	DMR Due Date: 09/15/21	Status: NetDMR Validated
----------------------------------	--	---	-------------------------------	---------------------------------

Considerations for Form Completion

Principal Executive Officer		First Name:	Title:	Telephone:
		Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.707	=	14.423	03 - MGD								01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA	
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.0 MINIMUM		<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-09-10 12:05 (Time Zone: -04:00)

DMR Copy of Record

Permit

Permit #: MA0000787	Permittee: MASSPORT AUTHORITY - LOGAN	Facility: LOGAN INTERNATIONAL AIRPORT
Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature: 002 External Outfall	Discharge: 002-C West Dry	

Report Dates & Status

Monitoring Period: From 08/01/20 to 08/31/20	DMR Due Date: 09/15/20	Status: NetDMR Validated
---	-------------------------------	---------------------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	14.0				=	14.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	5.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06				=	0.06	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	150.0				=	150.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	7500.0				=	7500.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-09-10 12:14 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2020-09-10 12:15 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.155	=	3.123	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	19 - mg/L						
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-09-10 12:14 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	10.0				=	13.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.											Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<=	3.0				<	5.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.095				=	0.13	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	40.0				=	160.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	214.0				=	4600.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-09-10 11:51 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-09-10 12:15 (Time Zone: -04:00)

DMR Copy of Record

Permit		Permittee: MASSPORT AUTHORITY - LOGAN		Facility: LOGAN INTERNATIONAL AIRPORT	
Permit #: MA0000787	Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		
Permitted Feature: 004 External Outfall	Discharge: 004-A MAVERICK ST OUTFALL-STORMWATER				

Report Dates & Status		Monitoring Period: From 08/01/20 to 08/31/20		DMR Due Date: 09/15/20		Status: NetDMR Validated	
----------------------------------	--	---	--	-------------------------------	--	---------------------------------	--

Considerations for Form Completion

Principal Executive Officer		Title:		Telephone:	
First Name:					
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.032	=	1.321	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						V - Weather Related				V - Weather Related						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										V - Weather Related						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						V - Weather Related				V - Weather Related						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						V - Weather Related				V - Weather Related						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						V - Weather Related				V - Weather Related						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-09-10 12:12 (Time Zone: -04:00)

DMR Copy of Record

Permit

Permit #: MA0000787	Permittee: MASSPORT AUTHORITY - LOGAN	Facility: LOGAN INTERNATIONAL AIRPORT
Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature: 004 External Outfall	Discharge: 004-C Maverick Street Dry	

Report Dates & Status

Monitoring Period: From 08/01/20 to 08/31/20	DMR Due Date: 09/15/20	Status: NetDMR Validated
---	-------------------------------	---------------------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	42.0				=	42.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG				<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4.0	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1.0				<	1.0	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Value NODI														
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.07				=	0.07	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI														
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	660.0				=	660.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	6900.0				=	6900.0	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MassportsContinuanceofTemporarySuspensionofSWMonitoring2020.pdf	pdf	611065.0

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp
Name:	Rosanne Joyce
E-Mail:	rjoyce@massport.com
Date/Time:	2020-09-10 11:55 (Time Zone: -04:00)

Report Last Signed By

User:	rjoycelsp
Name:	Rosanne Joyce