


#	Revision	Date

Directional - Primary

3.4.1

Overhead suspended


ST - 101



- Description: Three directional - Three levels of messaging
- Overall Dimensions: 18'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

Overhead suspended


ST - 102



- Description: Two directional - Three levels of messaging
- Overall Dimensions: 12'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

Overhead suspended

ST - 103



- Description: One directional - Three levels of messaging
- Overall Dimensions: 6'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

3.0 SIGN TYPES - TERMINALS



Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended


ST - 104



- Description: Three directional - Two levels of messaging
- Overall Dimensions: 18'-0"L x 1'-4"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

Overhead suspended


ST - 105



- Description: Two directional - Two levels of messaging
- Overall Dimensions: 12'-0"L x 1'-4"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

Overhead suspended

ST - 106



- Description: One directional - Two levels of messaging
- Overall Dimensions: 6'-0"L x 1'-4"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.

3.0 SIGN TYPES - TERMINALS




#	Revision	Date

Directional - Primary cont'd.

3.4.1

Overhead suspended with pole


ST - 110



- Description: Two directional - Three levels of messaging
- Overall Dimensions: (each sign face) 6'-0"L x 2'-0"H x 7 1/16"D
Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht

Overhead suspended with pole

ST - 111



- Description: Two directional - Two levels of messaging
- Overall Dimensions: (each sign face) 6'-0"L x 1'-4"H x 7 1/16"D
Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht
- 6" Arrow Size
- 6" Symbol Ht

3.0 SIGN TYPES - TERMINALS



Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended


ST - 121



- Description: (Dynamic) Two directional - Three levels of messaging
- Overall Dimensions: 12'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht. Dynamic text
- 6" Arrow Size

Overhead suspended with pole

ST - 122



- Description: (Dynamic) Two directional - Three levels of messaging
- Overall Dimensions: (each sign face) 6'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht. Dynamic text
- 6" Arrow Size

3.0 SIGN TYPES - TERMINALS




Directional - Primary cont'd.

3.4.1

#	Revision	Date

Post mount

ST - 123



- Description: (Dynamic) Two directional - Three levels of messaging
- Overall Dimensions: (each sign face) 6'-0"L x 2'-0"H x 7 1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht. Dynamic text
- 6" Arrow Size
- 6" Symbol Ht

3.0 SIGN TYPES - TERMINALS



Directional - Secondary

3.4.2

#	Revision	Date

Wall mount

ST - 124



- Description: One directional - Two levels of messaging
- Overall Dimensions: 4'-0"L x 1'-4"H x 3"D
- Used in secondary circulation corridors perpendicular to main pedestrian traffic flow.
- Non-illuminated
- 3" Cap Ht
- 6" Arrow Size
- 4" Symbol Ht

Wall mount

ST - 125



- Description: One directional - One level of messaging
- Overall Dimensions: 4'-0"L x 8"H x 3"D
- Used in secondary circulation corridors perpendicular to main pedestrian traffic flow.
- Non-illuminated
- 3" Cap Ht
- 6" Arrow Size
- 4" Symbol Ht

Flag mount

ST - 126



- Description: One directional - Three levels of messaging
- Overall Dimensions: 4'-0"L x 1'-4"H x 3"D
- Used in secondary circulation corridors perpendicular to main pedestrian traffic flow.
- Non-illuminated
- 3" Cap Ht
- 6" Arrow Size
- 4" Symbol Ht
- Refer to Section 3.5 for alternate layouts including secondary messaging.



Identification - Primary

3.4.3

#	Revision	Date

Overhead suspended


ST - 151



- Description: Terminal ID - Airline Listing
- Overall Dimensions: 12'-0"L x 2'-0"H x 7 1/16"D
- Used at primary terminal entrances.
- Illuminated
- 5" Cap Ht
- 3" Dynamic text
- 12" Terminal letter
- 735% Kerning

Overhead suspended

ST - 152



- Description: Terminal ID - Airline Listing
- Overall Dimensions: 6'-0"L x 1'-4"H x 7 1/16"D
- Used at terminal entrances.
- Illuminated
- 3" Cap Ht
- 3" Dynamic text
- 12" Terminal letter
- 410% Kerning

Overhead suspended

ST - 153



- Description: Gate ID - Airline Listing
- Overall Dimensions: 12'-0"L x 2'-0"H x 7 1/16"D
- Used at primary gate area entrances prior to security check points.
- Illuminated
- 6" Cap Ht
- 3" Dynamic text
- 9" Terminal letter
- 45% Kerning

3.0 SIGN TYPES - TERMINALS



#	Revision	Date

Identification - Secondary

3.4.4

Flag mount

ST - 154



- Description: Gate ID
- Overall Dimensions: 2'-0"L x 1'-4"H x 7 1/16"D
- Used at gate hold room locations.
- Illuminated
- 3" Cap Ht
- 7" Gate number
- 7" Terminal letter

Flag mount

ST - 155



- Description: Services ID (restroom, elevators, telephone)
- Overall Dimensions: 1'-4"L x 1'-4"H x 3 7/32"D
- Used at location of services (restroom, elevator, telephone).
- Non-illuminated
- Size of symbol: 9.875"

Wall Mount

ST - 156



- Description: Services ID with braille
- Overall Dimensions: 1'-4"L x 0'-8"H x 1"D
- Used at location of services and stairs.
- Non-illuminated
- Size of symbol: 6"

3.0 SIGN TYPES - TERMINALS



#	Revision	Date

Identification - Secondary

3.4.4

Wall mount

ST - 157



- Description: Level ID
- Overall Dimensions: 1'-0"L x 0'-8"H x 1"D
- Used at locations close to stairs to identify levels.
- Non-Illuminated
- 5" Cap Ht level number
- 1" Cap Ht text

Wall mount


ST - 158



- Description: Room ID with braille
- Overall Dimensions: 1'-0"L x 0'-8"H x 1"D
- Used at room entrances.
- Non-illuminated
- 1" Cap Ht text
- 3/4" Cap Ht room number

Wall Mount

ST - 159



- Description: Room ID
- Overall Dimensions: 1'-0"L x 0'-4"H x 1"D
- Used at room entrances.
- Non-illuminated
- 3/4" Cap Ht

3.0 SIGN TYPES - TERMINALS




Identification - Secondary

3.4.4

#	Revision	Date

Wall Mount

ST - 160



- Description: Elevator Plaque
- Overall Dimensions: 1'-0"L x 2'-0"H x 1/4"D
- Used inside elevators.
- Non-Illuminated
- 5/8" Cap Ht

Overhead Suspended

ST - 161



- Description: Baggage Claim ID
- Overall Dimensions: 2'-0"L x 1'-4"H x 3"D
- Used at Baggage Claim carousels.
- Non-Illuminated
- 9" Cap Ht
- Size of symbol: 10"

3.0 SIGN TYPES - TERMINALS



Identification - Secondary

3.4.4

#	Revision	Date

Flag Mount


ST - 162



- Description: Baggage Claim ID
- Overall Dimensions: 2'-0"L x 1'-4"H x 3"D
- Used at Baggage Claim carousels.
- Non-Illuminated
- 9" Cap Ht
- Size of symbol: 10"

Wall Mount

ST - 163



- Description: Massport Door ID Plaque
- Overall Dimensions: 1'-4"L x 1'-0"H x 1"D
- Used at office doors.
- Non-Illuminated
- 1" Cap Ht

Pin Mount Letters

ST - 164



- Description: Information Booth Header
- Overall Dimensions: 0'-8"H x 1/2"D
- Used at Information Booths.
- Non-Illuminated
- 4 1/2" Cap Ht

3.0 SIGN TYPES - TERMINALS



Informational - Primary / Secondary

3.4.5

#	Revision	Date

Wall mount

ST - 181



- Description: Elevator directory
- Overall Dimensions: 2'-0"L x 4'-0"H x 3"D
- Used at elevator locations.
- Non-illuminated
- 2" Terminal and number Cap Ht
- 1" Ticketing / Check-In Cap Ht
- NOTE: Interior artwork to be provided by Massport.

Wall mount

ST - 182



Notes: See section 3.5 Sign Type layouts (ST-182) for alternate header messages.

- Description: Terminal Directory
- Overall Dimensions: 3'-4"L x 4'-8"H x 3"D
- Used in primary circulation corridors parallel to main pedestrian traffic flow.
- Non-illuminated
- 2.25" Cap Ht
- 3" Symbol Ht
- NOTE: Directory frame may be used for different types of directories such as Terminal Directories, Airport Directories, etc. Interior artwork to be provided by Massport.




Informational - Primary / Secondary cont'd.

3.4.5

#	Revision	Date

Floor mount

ST - 183




Notes: See section 3.5 Sign Type layouts (ST-183) for alternate header messages.

- Description: Terminal Directory
- Overall Dimensions: 3'-4"L x 4'-8"H x 7"D Base Dimensions: 3'-4"L x 1'-4"H x 7 1/16"D
- Used in primary circulation corridors parallel to main pedestrian traffic flow.
- Illuminated
- 2.25" Cap Ht
- 3" Symbol Ht
- NOTE: Directory frame may be used for different types of directories such as Terminal Directories, Airport Directories, etc. Interior artwork to be provided by Massport.

Wall Mount

ST - 184



- Description: Information Directory
- Overall Dimensions: 2'-4"L x 3'-4"H x 3"D
- Used at information booths
- Non-Illuminated
- 1" Cap Ht and 3/4" Cap Ht
- 4" Symbol Ht

3.0 SIGN TYPES - TERMINALS

