


#	Revision	Date

Directional - Primary

3.4.1

Overhead suspended


ST - 201



- Description: Pedestrian Three directional - Two levels of messaging
- Overall Dimensions: 12'-0"L x 2'-0"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

Overhead suspended


ST - 202



- Description: Pedestrian Two directional - Two levels of messaging
- Overall Dimensions: 8'-0"L x 2'-0"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/ 4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

Overhead suspended

ST - 203



- Description: Pedestrian One directional - Two levels of messaging
- Overall Dimensions: 4'-0"L x 2'-0"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/3" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

3.0 SIGN TYPES - CURBSIDE




Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended

ST - 204



- Description: Pedestrian Three directional - One level of messaging
- Overall Dimensions: 12'-0"L x 1'-4"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

Overhead suspended

ST - 205



- Description: Pedestrian Two directional - One level of messaging
- Overall Dimensions: 8'-0"L x 1'-4"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

Overhead suspended

ST - 206



- Description: Pedestrian One directional - One level of messaging
- Overall Dimensions: 4'-0"L x 1'-4"H x 7-1/16"D
- Used in primary circulation corridors perpendicular to main pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/3" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Interior

3.0 SIGN TYPES - CURBSIDE




Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended


ST - 207



- Description: Pedestrian Three directional - Two levels of messaging
- Overall Dimensions: 12'-0"L x 2'-0"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Exterior

Overhead suspended


ST - 208



- Description: Pedestrian Two directional - Two levels of messaging
- Overall Dimensions: 8'-0"L x 2'-0"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/ 4" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Exterior

Overhead suspended

ST - 209



- Description: Pedestrian One directional - Two levels of messaging
- Overall Dimensions: 4'-0"L x 2'-0"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/3" Cap Ht Header
- 6" Arrow Size
- 3" Symbol Ht
- Exterior

3.0 SIGN TYPES - CURBSIDE


Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended

ST - 210



- Description: Pedestrian Three directional - One level of messaging
- Overall Dimensions: 12'-0"L x 1'-4"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 4.5" Arrow Size
- 3" Symbol Ht
- Exterior

Overhead suspended

ST - 211



- Description: Pedestrian Two directional - One level of messaging
- Overall Dimensions: 8'-0"L x 1'-4"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 4.5" Arrow Size
- 3" Symbol Ht
- Exterior

Overhead suspended

ST - 212



- Description: Pedestrian One directional - One level of messaging
- Overall Dimensions: 4'-0"L x 1'-4"H x 7-1/16"D
- Used at curbside perpendicular to pedestrian traffic flow coming out of the terminal.
- Non Illuminated
- 3" Cap Ht/3" Cap Ht Header
- 4.5" Arrow Size
- 3" Symbol Ht
- Exterior

3.0 SIGN TYPES - CURBSIDE



Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended

ST - 213



- Description: Pedestrian Airline Listing Directional
- Overall Dimensions: 8'-0"L x 2'-0"H x 7-1/16"D
- Used at the curbside between the facilities of Terminal B perpendicular to the main pedestrian traffic flow.
- Non Illuminated
- 3" Cap Ht/4" Cap Ht Header
- 6" Arrow Size
- Exterior

3.0 SIGN TYPES - CURBSIDE



Directional - Primary cont'd.

3.4.1

#	Revision	Date

Overhead suspended

ST - 214



- Description: Vehicular Three directional - Two levels of messaging
- Overall Dimensions: 18'-0"L x 2'-0"H x 3"D
- Used at curbside as approaching from the roadways..
- Non Illuminated
- 6" Cap Ht
- 10 1/2" Arrow Size
- Exterior

Overhead suspended


ST - 215



- Description: Vehicular Two directional - Two levels of messaging
- Overall Dimensions: 12'-0"L x 2'-0"H x 3"D
- Used at curbside as approaching from the roadways.
- Non Illuminated
- 6" Cap Ht
- 10 1/2" Arrow Size
- Exterior

Overhead suspended

ST - 216



- Description: Vehicular One directional - Two levels of messaging
- Overall Dimensions: 6'-0"L x 2'-0"H x 3"D
- Used at curbside as approaching from the roadways..
- Non Illuminated
- 6" Cap Ht
- 10 1/2" Arrow Size
- Exterior

3.0 SIGN TYPES - CURBSIDE



#	Revision	Date

Directional - Primary cont'd.

3.4.1

Overhead suspended

ST - 217



- Description: Vehicular Three directional - One level of messaging
- Overall Dimensions: 18'-0"L x 1'-4"H x 3"D
- Used at curbside as approaching from the roadways..
- Non Illuminated
- 6" Cap Ht
- 9" Arrow Size
- Exterior

Overhead suspended

ST - 218



- Description: Vehicular Two directional - One level of messaging
- Overall Dimensions: 12'-0"L x 1'-4"H x 3"D
- Used at curbside as approaching from the roadways..
- Non Illuminated
- 6" Cap Ht
- 9" Arrow Size
- Exterior

Overhead suspended

ST - 219



- Description: Vehicular One directional - One level of messaging
- Overall Dimensions: 4'-0"L x 1'-4"H x 3"D
- Used at curbside as approaching from the roadways..
- Non Illuminated
- 6" Cap Ht
- 9" Arrow Size
- Exterior

3.0 SIGN TYPES - CURBSIDE



Directional - Secondary

3.4.2

#	Revision	Date

Post Mount

ST - 220



- Description: Vehicular Secondary Directional
- Overall Dimensions: 2'-8"L x 3'-4"H x 1/2"D
- Used at curbside to separate traffic.
- Non Illuminated
- 4" Cap Ht
- 6" Arrow Size
- Exterior

Post Mount

ST - 221



- Description: Vehicular Secondary Directional
- Overall Dimensions: 2'-8"L x 2'-8"H x 1/2"D
- Used before curbside to regulate and/or separate traffic.
- Non Illuminated
- 4" Cap Ht
- Exterior

3.0 SIGN TYPES - CURBSIDE




Identification - Primary

3.4.3

#	Revision	Date

Overhead suspended


ST - 251



- Description: Terminal ID - Airline Listing ID
- Overall Dimensions: 8'-0" L x 2'-0" H x 7-1/16" D
- Used at curbside in every terminal entrance perpendicular to vehicular traffic.
- Illuminated
- 4" Cap Ht/4" Cap Ht Header/3" Dynamic text
- Kerning @ 250%
- 15" Terminal letter
- Exterior

Overhead Suspended


ST - 252



- Description: Terminal ID - Airline Listing
- Overall Dimensions: 6'-0" L x 1'-4" H x 7-1/16" D
- Used at Curbside over Terminal door entrances in Terminal B and C
- Illuminated
- 3" Cap Ht Header/3" Dynamic text
- Kerning @ 250%
- 12" Terminal letter
- Exterior

Soffit mounted

ST - 253



- Description: Terminal ID - Airline Listing
- Overall Dimensions: 6'-0" L x 1'-4" H x 7-1/16" D
- Used at Curbside over Terminal door entrances in Terminal A and D.
- Illuminated
- 3" Cap Ht Header/3" Dynamic text
- Kerning @ 250%
- 12" Terminal letter
- Exterior



Identification - Primary Cond't.

3.4.3

#	Revision	Date

Overhead suspended

ST - 254



- Description: Ground Transportation ID
- Overall Dimensions: 8'-0"L x 2'-0"H x 7-1/16"D
- Used at curbside to identify Ground Transportation functions perpendicular to vehicular traffic.
- Non Illuminated
- 3" Cap Ht/4" Cap Ht Header/12" Terminal letter
- Kerning @ 10%
- 15" Symbol size
- Exterior

3.0 SIGN TYPES - CURBSIDE




#	Revision	Date

Identification - Secondary

3.4.4

Flag mount

ST - 255



- Description: Pedestrian Ground Transportation ID
- Overall Dimensions: 2'-6"L x 3'-2"H x 3-7/32"D
- Used at curbside to identify Ground Transportation functions perpendicular to vehicular traffic.
- Non Illuminated
- 2- 3/4" Cap Ht/3" Cap Ht Header
- 8 1/2" Symbol size/2- 3/4" Symbol size
- Exterior

Surface applied


ST - 256



- Description: Door ID
- Overall Dimensions: 1'-0"L x 1'-0"H
- Used at terminal entrance doors (Applied to each door).
- Non Illuminated
- 3" Door Number
- Interior/Exterior

Flag Mount

ST - 257



- Description: Ground Transportation door ID
- Overall Dimensions: 6'-0"L x 2'-0"H x 7-1/16"D
- Used inside terminals at entrance door perpendicular to pedestrian traffic flow.
- Illuminated
- 3" Cap Ht/4" Cap Ht Header/6" Door Number
- Interior

3.0 SIGN TYPES - CURBSIDE



Identification - Secondary

3.4.4

#	Revision	Date

Overhead suspended

ST - 258



- Description: Rental Car Telephone ID
- Overall Dimensions: 8'-0"L x 1'-0"H x 7-1/16"D
- Used at Rental Car Telephone booths.
- Illuminated
- 5" Cap Ht
- 8" Symbol
- Interior



Informational - Primary / Secondary

3.4.5

#	Revision	Date

Floor Mount

ST - 281



Notes: See section 3.5 Sign Type layouts (ST-281) for alternate header message.

- Description: Ground Transportation directory
- Overall Dimensions: 6'-4"L x 3'-4"H x 7'- 1/16"D Base Dimensions: 3'-4"L x 1'-7"H x 7'- 1/16"D
- Used at curbside for pedestrian use outside main circulation path.
- Non Illuminated
- 3" Directory Cap Ht
- Exterior
- NOTE: Directory frame may be used for different types of directories such as Terminal Directories, Airport Directories, etc. Interior artwork to be provided by Massport.

Post Mount

ST - 282



- Description: Parking Regulatory
- Overall Dimensions: 1'-6"L x 2'-0"H x 0'.5"D
- Terminal Curbside (Departure) and Ground Transportation (Arrival) areas.
- Non Illuminated
- 2.5" Primary Cap Ht/1 1/2"Secondary Cap Ht
- 6" Symbol Ht
- Exterior
- Use colors as specified in the layouts. Colors specified are not Terminal specific.

3.0 SIGN TYPES - CURBSIDE



Informational - Primary / Secondary cont'd.

3.4.5

#	Revision	Date

Post mount

ST - 283



- Description: Regulatory
- Overall Dimensions: 1'-6"L x 2'-0"H x 0'-5"D
- Terminal Curbside (Departure) and Ground Transportation (Arrival) areas.
- Non Illuminated
- 2.5" Primary Cap Ht/ 1" Secondary Cap Ht
- 6" Symbol Ht
- Exterior
- Use colors as specified in the layouts. Colors specified are not Terminal specific.

Post Mount

ST - 284



- Description: Pedestrian Caution
- Overall Dimensions: 1'-6"L x 2'-0"H x 0'-5"D
- Terminal Curbside (Departure) and Ground Transportation (Arrival) areas.
- Non Illuminated
- 2.5" Primary Cap Ht/ 1.5" Secondary Cap Ht
- 7.5" Symbol Ht
- Exterior
- Use colors as specified in the layouts. Colors specified are not Terminal specific.

3.0 SIGN TYPES - CURBSIDE



Informational - Primary / Secondary cont'd.

3.4.5

#	Revision	Date

Overhead suspended

ST - 285



- Description: Vehicular Clearance ID.
- Overall Dimensions: 2'-0"H x 0'-5"D (Length to be determined by number of vehicle lanes.)
- Used at curbside as approaching from the roadways to delineate height clearance for vehicular traffic.
- Non Illuminated
- 5" Cap Ht
- Exterior