

DMR Copy of Record

Permit																						
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT										
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128										
Permitted Feature:	001 External Outfall				Discharge:	001-A NORTH OUTFALL - STORMWATER																
Report Dates & Status																						
Monitoring Period:	From 12/01/16 to 12/31/16				DMR Due Date:	01/15/17					Status:	NetDMR Validated										
Considerations for Form Completion																						
Principal Executive Officer																						
First Name:					Title:						Telephone:											
Last Name:																						
No Data Indicator (NODI)																						
Form NODI: --																						
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units						
00056	Flow rate	1 - Effluent Gross	0	--	Sample	= 0.546	=	2.73	03 - MGD									01/30 - Monthly	ES - ESTIMA			
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - ESTIMA			
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample				= 6.8					= 6.8	12 - SU			01/30 - Monthly	GR - GRAB			
					Permit Req.				>= 6 MINIMUM					<= 8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB			
					Value NODI																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample				= 8.6					= 8.6	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG					<= 100 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									< 4	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.									<= 15 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample				< 1					< 1	28 - ug/L			01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB			
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample				= 0.13					= 0.13	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB			
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample				= 770					= 770	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample				= 3400					= 3400	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Value NODI																	
Submission Note																						
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																						
Edit Check Errors																						
No errors.																						
Comments																						
Please see the 2016 December Sampling Report.																						
Attachments																						
												Name					Type					Size
												December2016NPDESMonitoringReport.pdf					pdf					142446
Report Last Saved By																						
MASSPORT AUTHORITY - LOGAN																						
User:	rjoyce@massport.com				Date/Time:	2017-01-11 09:11 (Time Zone: -05:00)																
Name:	Rosanne Joyce																					
E-Mail:	rjoyce@massport.com																					

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	11				=	11	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.23				=	0.23	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	480				=	480	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	28000				=	28000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time: 2017-01-11 09:18 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/18
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.327	=	11.192	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.45				=	7.45			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU	01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	25				=	25			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG		<=	100 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX		28 - ug/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.21				=	0.21			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX		19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	400				=	400			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX		3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	2700				=	2700			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX		3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com | Date/Time: 2017-01-11 09:13 (Time Zone: -05:00)
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	12			=	12	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.33			=	0.33	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	80			=	80	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	150			=	150	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2017-01-11 09:19 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.261	=	2.847	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.37				=	6.83	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	18				=	31	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	4.6	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0				<	1	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.133				=	0.21	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	280				=	530	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	29				=	230	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2017-01-11 09:17 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	206			=	490	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample					=	11			=	11	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	0			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.243			=	0.29	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	3.7			=	50	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	1			<	10	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time: 2017-01-11 09:21 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.058	=	0.794	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.44	=	6.44	12 - SU						01/30 - Monthly	GR - GRAB	
					Permit Req.		>= 6 MINIMUM		<= 8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	<	5	<	5	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		<= 100 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample	<	4	<	4	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		<= 15 DAILY MX			19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1	<	1	28 - ug/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.36	=	0.36	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	130	=	130	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	240	=	240	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL						01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoyce@massport.com	Date/Time:	2017-01-11 09:14 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/16 to 12/31/16	DMR Due Date:	01/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	12				=	12	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.36				=	0.36	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
61211	Enterococci	1 - Effluent Gross	0	--	Sample						<	10	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	150				=	150	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoyce@massport.com

Date/Time: 2017-01-11 09:20 (Time Zone: -05:00)

Name: Rosanne Joyce

E-Mail: rjoyce@massport.com