

# DMR Copy of Record

<b>Permit</b>					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/17	Status:	NetDMR Validated

**Considerations for Form Completion**

<b>Principal Executive Officer</b>					
First Name:		Title:		Telephone:	
Last Name:					

**No Data Indicator (NODI)**  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.158	=	2.59	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.4				=	7.4			12 - SU			01/30 - Monthly	GR - GRAB		
					Permit Req.		>=	6 MINIMUM							<=	8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	45				=	45			19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.										<=	100 DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample										28 - ug/L			01/30 - Monthly	GR - GRAB		
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.36				=	0.36			19 - mg/L			01/30 - Monthly	GR - GRAB		
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	60				=	60			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3900				=	3900			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB		
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**  
Please find attached the February 2017 Monthly Sampling Report.

<b>Attachments</b>		
Name	Type	Size
February2017NPDESMonitoringReport.pdf	pdf	102639

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp	Date/Time:	2017-03-08 13:32 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

## DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

### Report Dates & Status

Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	21			=	21	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.12			=	0.12	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	50			=	50	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	3600			=	3600	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com

Date/Time: 2017-03-08 13:33 (Time Zone: -05:00)

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/18
Status:	NetDMR Validated		

<b>Considerations for Form Completion</b>			
---	--	--	--

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.326	=	7.314	03 - MGD							01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA			
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.79				=	6.79			12 - SU		01/30 - Monthly	GR - GRAB			
					Permit Req.		>=	6 MINIMUM							<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB	
					Value NODI																
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	22				=	22			19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG					<=	100 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB		
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample										28 - ug/L		01/30 - Monthly	GR - GRAB			
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.29				=	0.29			19 - mg/L		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MO AVG										01/30 - Monthly	GR - GRAB	
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample										3Z - CFU/100mL		01/30 - Monthly	GR - GRAB			
					Permit Req.															01/30 - Monthly	GR - GRAB
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	30				=	30			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB			
					Permit Req.				Req Mon MOAV GEO										01/30 - Monthly	GR - GRAB	
					Value NODI																

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp	Date/Time:	2017-03-08 13:38 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

## DMR Copy of Record

Permit																		
Permit #:	MA0000787			Permittee:	MASSPORT AUTHORITY - LOGAN				Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No			Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909				Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	002 External Outfall			Discharge:	002-C West Dry													
Report Dates & Status																		
Monitoring Period:	From 02/01/17 to 02/28/17			DMR Due Date:	03/15/17				Status:	NetDMR Validated								
Considerations for Form Completion																		
Principal Executive Officer																		
First Name:				Title:					Telephone:									
Last Name:																		
No Data Indicator (NODI)																		
Form NODI:	--																	
Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
Code	Name			Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00530	Solids, total suspended	1 - Effluent Gross	0	--				=	16				=	16	19 - mg/L	01/30 - Monthly	GR - GRAB	
									Req Mon MO AVG				<=	100 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
00556	Oil & Grease	1 - Effluent Gross	0	--									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB	
													<=	5 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
34030	Benzene	1 - Effluent Gross	0	--				<	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB	
									Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--				=	0.11				=	0.11	19 - mg/L	01/30 - Monthly	GR - GRAB	
									Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
61211	Enterococci	1 - Effluent Gross	0	--				=	90				=	90	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
									Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
74055	Coliform, fecal general	1 - Effluent Gross	0	--				=	300				=	300	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
									Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
Submission Note																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
Edit Check Errors																		
No errors.																		
Comments																		
Attachments																		
No attachments.																		
Report Last Saved By																		
MASSPORT AUTHORITY - LOGAN																		
User:	rjoycelsp			Date/Time:	2017-03-08 13:40 (Time Zone: -05:00)													
Name:	Rosanne Joyce																	
E-Mail:	rjoyce@massport.com																	

## DMR Copy of Record

Permit																				
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	003 External Outfall				Discharge:	003-A PORTER ST OUTFALL - STORMWATER														
Report Dates & Status																				
Monitoring Period:	From 02/01/17 to 02/28/17				DMR Due Date:	03/15/17					Status:	NetDMR Validated								
Considerations for Form Completion																				
effective 5 months after 10-1-07.																				
Principal Executive Officer																				
First Name:					Title:						Telephone:									
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units				
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	1.693	=	1.693	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample =	7.05	=	7.51	12 - SU									01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6 MINIMUM	<=	8.5 MAXIMUM	12 - SU								01/30 - Monthly	GR - GRAB	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample =	61	=	130	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample =	8.7	=	19 - mg/L										01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon DAILY MX		19 - mg/L										01/30 - Monthly	GR - GRAB	
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample =	0	<	1	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample =	0.13	=	0.17	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample =	39	=	150	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample =	5.4	=	160	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoycelsp				Date/Time:	2017-03-08 13:43 (Time Zone: -05:00)														
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			

## DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

### Report Dates & Status

Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	20			=	47	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample								<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					=	0			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.18			=	0.25	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	3.4			=	40	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	1			<	10	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp	Date/Time:	2017-03-08 13:52 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

**DMR Copy of Record**

<b>Permit</b>			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/17
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:		Title:	
Last Name:		Telephone:	

**No Data Indicator (NODI)**

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.045	=	0.215	03 - MGD								01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA	
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.81				=	6.81			12 - SU			01/30 - Monthly	GR - GRAB			
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU					01/30 - Monthly	GR - GRAB	
					Value NODI																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	74				=	74			19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG			<=	100 DAILY MX			19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						=	7.3			19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.					<=	15 DAILY MX			19 - mg/L						01/30 - Monthly	GR - GRAB	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L			01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX			28 - ug/L							01/30 - Monthly	GR - GRAB
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.24				=	0.24			19 - mg/L			01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MO AVG				Req Mon DAILY MX			19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	2300				=	2300			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX			3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3100				=	3100			3Z - CFU/100mL			01/30 - Monthly	GR - GRAB			
					Permit Req.		Req Mon MOAV GEO				Req Mon DAILY MX			3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI																	

**Submission Note**  
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**  
No errors.

**Comments**

**Attachments**  
No attachments.

**Report Last Saved By**  
MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp	Date/Time:	2017-03-08 13:54 (Time Zone: -05:00)
Name:	Rosanne Joyce		
E-Mail:	rjoyce@massport.com		

## DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry		

### Report Dates & Status

Monitoring Period:	From 02/01/17 to 02/28/17	DMR Due Date:	03/15/17	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						<	5			<	5	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample						=	0.17			=	0.17	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample						=	3100			=	3100	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample						=	5000			=	5000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

No attachments.

### Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp  
 Name: Rosanne Joyce  
 E-Mail: rjoyce@massport.com

Date/Time: 2017-03-08 13:55 (Time Zone: -05:00)