

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18	Status:	NetDMR Validated

Considerations for Form Completion					
---	--	--	--	--	--

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)					
Form NODI:	--				

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.51	=	1.759	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.16				=	6.16			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU	01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	<	5				<	5			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG		<=	100 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.1				=	0.1			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	5000				=	5000			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	290				=	290			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please find attached the December 2017 Monthly Sampling Report.

Attachments		
Name	Type	Size
December2017NPDESMonitoringReport.pdf	pdf	130026

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2018-01-11 14:53 (Time Zone: -05:00)

Report Last Signed By
User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	9.5			=	9.5	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.12			=	0.12	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	10			=	10	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	60			=	60	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:02 (Time Zone: -05:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:25 (Time Zone: -05:00)

DMR Copy of Record

Permit																											
Permit #:		MA0000787		Permittee:				MASSPORT AUTHORITY - LOGAN				Facility:		LOGAN INTERNATIONAL AIRPORT													
Major:		No		Permittee Address:				ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909				Facility Location:		ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128													
Permitted Feature:		002 External Outfall		Discharge:				002-A WEST OUTFALL - STORMWATER																			
Report Dates & Status																											
Monitoring Period:				From 12/01/17 to 12/31/17				DMR Due Date:				01/15/19				Status:								NetDMR Validated			
Considerations for Form Completion																											
Principal Executive Officer																											
First Name:								Title:								Telephone:											
Last Name:																											
No Data Indicator (NODI)																											
Form NODI: --																											
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type										
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units								
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.823	=	5.87	03 - MGD								01/30 - Monthly	ES - ESTIMA									
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD								01/30 - Monthly	ES - ESTIMA									
					Value NODI																						
00400	pH	1 - Effluent Gross	0	--	Sample =	7.45	=	7.45	12 - SU								01/30 - Monthly	GR - GRAB									
					Permit Req.	>=	6 MINIMUM	<=	8.5 MAXIMUM	12 - SU							01/30 - Monthly	GR - GRAB									
					Value NODI																						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample =	12	=	12	19 - mg/L								01/30 - Monthly	GR - GRAB									
					Permit Req.	Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB									
					Value NODI																						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample =				19 - mg/L								01/30 - Monthly	GR - GRAB									
					Permit Req.			<=	15 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB									
					Value NODI																						
34030	Benzene	1 - Effluent Gross	0	--	Sample <	1			28 - ug/L								01/30 - Monthly	GR - GRAB									
					Permit Req.	Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB									
					Value NODI																						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample =	0.1	=	0.1	19 - mg/L								01/30 - Monthly	GR - GRAB									
					Permit Req.	Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB									
					Value NODI																						
61211	Enterococci	1 - Effluent Gross	0	--	Sample =	7300	=	7300	3Z - CFU/100mL								01/30 - Monthly	GR - GRAB									
					Permit Req.	Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB									
					Value NODI																						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample =	5800	=	5800	3Z - CFU/100mL								01/30 - Monthly	GR - GRAB									
					Permit Req.	Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB									
					Value NODI																						
Submission Note																											
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																											
Edit Check Errors																											
No errors.																											
Comments																											
Attachments																											
No attachments.																											
Report Last Saved By																											
MASSPORT AUTHORITY - LOGAN																											
User:				rjoycelsp																							
Name:				Rosanne Joyce																							
E-Mail:				rjoyce@massport.com																							
Date/Time:				2018-01-11 14:54 (Time Zone: -05:00)																							
Report Last Signed By																											
User:				rjoycelsp																							
Name:				Rosanne Joyce																							
E-Mail:				rjoyce@massport.com																							

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility Location:		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	11				=	11	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.16				=	0.16	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	30000				=	30000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	>	80000				>	80000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.												
					Value NODI												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:03 (Time Zone: -05:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:25 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.149	=	1.301	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.66				=	7.8			12 - SU		01/30 - Monthly	GR - GRAB
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU		01/30 - Monthly	GR - GRAB
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	5.8				=	12			19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.					Req Mon DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0				<	1			28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.11				=	0.16			19 - mg/L		01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	320				=	780			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	13				=	120			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB
					Permit Req.		Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2018-01-11 14:59 (Time Zone: -05:00)

Report Last Signed By
User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	54				=	130	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample	=	4.3				=	4.3	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0				<	1	28 - ug/L		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.13				=	0.2	19 - mg/L		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	179				=	480	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	7.4				=	40	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB	
					Permit Req.											01/30 - Monthly	GR - GRAB
					Value NODI												

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:11 (Time Zone: -05:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:25 (Time Zone: -05:00)

DMR Copy of Record

Permit																									
Permit #:		MA0000787		Permittee:				MASSPORT AUTHORITY - LOGAN				Facility:		LOGAN INTERNATIONAL AIRPORT											
Major:		No		Permittee Address:				ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909				Facility Location:		ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128											
Permitted Feature:		004 External Outfall		Discharge:				004-A MAVERICK ST OUTFALL-STORMWATER																	
Report Dates & Status																									
Monitoring Period:				From 12/01/17 to 12/31/17				DMR Due Date:				01/15/18				Status:		NetDMR Validated							
Considerations for Form Completion																									
Principal Executive Officer																									
First Name:				Last Name:				Title:				Telephone:													
No Data Indicator (NODI)																									
Form NODI: --																									
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type								
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units						
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.008	=	0.453	03 - MGD								01/30 - Monthly	ES - ESTIMA						
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA				
					Value NODI																				
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.79				=	6.79	12 - SU				01/30 - Monthly	GR - GRAB							
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU						01/30 - Monthly	GR - GRAB					
					Value NODI																				
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	8.5				=	8.5	19 - mg/L				01/30 - Monthly	GR - GRAB							
					Permit Req.		Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB						
					Value NODI																				
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L				01/30 - Monthly	GR - GRAB							
					Permit Req.					<=	15 DAILY MX	19 - mg/L						01/30 - Monthly	GR - GRAB						
					Value NODI																				
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1	28 - ug/L				01/30 - Monthly	GR - GRAB							
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L							01/30 - Monthly	GR - GRAB						
					Value NODI																				
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.09				=	0.09	19 - mg/L				01/30 - Monthly	GR - GRAB							
					Permit Req.		Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L							01/30 - Monthly	GR - GRAB						
					Value NODI																				
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	830				=	830	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB							
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB						
					Value NODI																				
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	700				=	700	3Z - CFU/100mL				01/30 - Monthly	GR - GRAB							
					Permit Req.		Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL							01/30 - Monthly	GR - GRAB						
					Value NODI																				
Submission Note																									
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																									
Edit Check Errors																									
No errors.																									
Comments																									
Attachments																									
No attachments.																									
Report Last Saved By																									
MASSPORT AUTHORITY - LOGAN																									
User:				rjoycelsp																					
Name:				Rosanne Joyce																					
E-Mail:				rjoyce@massport.com																					
Date/Time:				2018-01-11 14:56 (Time Zone: -05:00)																					
Report Last Signed By																									
User:				rjoycelsp																					
Name:				Rosanne Joyce																					
E-Mail:				rjoyce@massport.com																					

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 12/01/17 to 12/31/17	DMR Due Date:	01/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	54				=	54	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.06			=	0.06	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	100			=	100	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	630			=	630	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:08 (Time Zone: -05:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-01-11 15:25 (Time Zone: -05:00)