

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.539	=	3.807	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.96				=	6.96			12 - SU	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM			12 - SU	01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	7.1				=	7.1			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG		<=	100 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	15 DAILY MX			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1			28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.06				=	0.06			19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	>	80000				>	80000			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3200				=	3200			3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please find attached the September 2018 Monitoring Reports.

Attachments		
Name	Type	Size
September2018NPDESMonitoringReport.pdf	pdf	127428

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2018-10-14 07:30 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility:	LOGAN INTERNATIONAL AIRPORT
		Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	21				=	21	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.41			=	0.41	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	480			=	480	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	4500			=	4500	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB			
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 07:42 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 08:40 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/19	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.919	=	12.981	03 - MGD							01/30 - Monthly	ES - ESTIMA				
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA				
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.09				=	7.09			12 - SU		01/30 - Monthly	GR - GRAB				
					Permit Req.		>=	6 MINIMUM							<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB		
					Value NODI																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	10				=	10			19 - mg/L		01/30 - Monthly	GR - GRAB				
					Permit Req.										<=	100 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB		
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.													<=	15 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample						<	1				28 - ug/L		01/30 - Monthly	GR - GRAB			
					Permit Req.																01/30 - Monthly	GR - GRAB
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.06				=	0.06			19 - mg/L		01/30 - Monthly	GR - GRAB				
					Permit Req.															01/30 - Monthly	GR - GRAB	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample						>	80000				3Z - CFU/100mL		01/30 - Monthly	GR - GRAB			
					Permit Req.																01/30 - Monthly	GR - GRAB
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	3100				=	3100			3Z - CFU/100mL		01/30 - Monthly	GR - GRAB				
					Permit Req.															01/30 - Monthly	GR - GRAB	
					Value NODI																	

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2018-10-14 07:35 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	002 External Outfall	Discharge:	002-C West Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	11				=	11	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample										<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1				<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.28				=	0.28	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	6700				=	6700	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	21000				=	21000	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 07:43 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 08:40 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.416	=	2.751	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD							01/30 - Monthly	ES - ESTIMA
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.97				=	7.21	12 - SU			01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6 MINIMUM			<=	8.5 MAXIMUM	12 - SU			01/30 - Monthly	GR - GRAB	
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	2.4				=	7.3	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						<	4	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample	<	1				<	1	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample	=	0.037				=	0.11	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L			01/30 - Monthly	GR - GRAB	
					Value NODI													
61211	Enterococci	1 - Effluent Gross	0	--	Sample	=	1301				=	8000	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Value NODI													
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample	=	177				=	11000	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Permit Req.				Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL			01/30 - Monthly	GR - GRAB	
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments
No attachments.

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2018-10-14 07:41 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	12			=	25	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample								<	4	19 - mg/L	01/30 - Monthly	GR - GRAB			
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.19			=	0.33	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	581			=	1400	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	51			=	600	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 07:46 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 08:40 (Time Zone: -04:00)

DMR Copy of Record

Permit																				
Permit #:	MA0000787				Permittee:	MASSPORT AUTHORITY - LOGAN					Facility:	LOGAN INTERNATIONAL AIRPORT								
Major:	No				Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909					Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128								
Permitted Feature:	004 External Outfall				Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER														
Report Dates & Status																				
Monitoring Period:	From 09/01/18 to 09/30/18				DMR Due Date:	10/15/18					Status:	NetDMR Validated								
Considerations for Form Completion																				
Principal Executive Officer																				
First Name:					Title:						Telephone:									
Last Name:																				
No Data Indicator (NODI)																				
Form NODI:	--																			
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00056	Flow rate	1 - Effluent Gross	0	--	Sample =	0.111	=	0.96	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	03 - MGD									01/30 - Monthly	ES - ESTIMA	
					Value NODI															
00400	pH	1 - Effluent Gross	0	--	Sample =	7.16	=	7.16	12 - SU									01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6 MINIMUM	<=	8.5 MAXIMUM	12 - SU								01/30 - Monthly	GR - GRAB	
					Value NODI															
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample <	5	<	5	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		<=	100 DAILY MX	19 - mg/L								01/30 - Monthly	GR - GRAB	
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample <	4	<	4	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	15 DAILY MX	<=	15 DAILY MX	19 - mg/L								01/30 - Monthly	GR - GRAB	
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample <	1	<	1	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	28 - ug/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample =	0.06	=	0.06	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MO AVG		Req Mon DAILY MX	19 - mg/L									01/30 - Monthly	GR - GRAB	
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample =	9000	=	9000	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample =	3000	=	3000	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Permit Req.	Req Mon MOAV GEO		Req Mon DAILY MX	3Z - CFU/100mL									01/30 - Monthly	GR - GRAB	
					Value NODI															
Submission Note																				
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																				
Edit Check Errors																				
No errors.																				
Comments																				
Attachments																				
No attachments.																				
Report Last Saved By																				
MASSPORT AUTHORITY - LOGAN																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			
Date/Time:	2018-10-14 07:36 (Time Zone: -04:00)																			
Report Last Signed By																				
User:	rjoycelsp																			
Name:	Rosanne Joyce																			
E-Mail:	rjoyce@massport.com																			

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-C Maverick Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status

Monitoring Period:	From 09/01/18 to 09/30/18	DMR Due Date:	10/15/18	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	11			=	11	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample									<	4	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
34030	Benzene	1 - Effluent Gross	0	--	Sample					<	1			<	1	28 - ug/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample					=	0.08			=	0.08	19 - mg/L	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
61211	Enterococci	1 - Effluent Gross	0	--	Sample					=	100			=	100	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample					=	800			=	800	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB		
					Permit Req.															
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 08:03 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
 Name: Rosanne Joyce
 E-Mail: rjoyce@massport.com
 Date/Time: 2018-10-14 08:40 (Time Zone: -04:00)