

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-A NORTH OUTFALL - STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.564	=	2.472	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						Z - COVID-19				Z - COVID-19						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										Z - COVID-19						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Please see the attached April 2020 Monthly Sampling Report

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0
April2020NPDESMonitoringReport.pdf	pdf	103774.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN
User: rjoycelsp

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	001 External Outfall	Discharge:	001-C North Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					<=	100.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.															
					Value NODI						Z - COVID-19						Z - COVID-19			
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample											<=	15.0 DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.															
					Value NODI												Z - COVID-19			
34030	Benzene	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI						Z - COVID-19						Z - COVID-19			
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI						Z - COVID-19						Z - COVID-19			
61211	Enterococci	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI						Z - COVID-19						Z - COVID-19			
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB	
					Permit Req.															
					Value NODI						Z - COVID-19						Z - COVID-19			

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-05-08 15:45 (Time Zone: -04:00)

Report Last Signed By

User: rjoycelsp
Name: Rosanne Joyce

DMR Copy of Record

Permit					
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN	Facility:	LOGAN INTERNATIONAL AIRPORT
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature:	002 External Outfall	Discharge:	002-A WEST OUTFALL - STORMWATER		

Report Dates & Status					
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/21	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:		Title:		Telephone:	
Last Name:					

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	1.538	=	8.078	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						Z - COVID-19				Z - COVID-19						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									<=	15.0 DAILY MX	19 - mg/L					
					Value NODI										Z - COVID-19						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN
User: rjoycelsp
Name: Rosanne Joyce

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-A PORTER ST OUTFALL - STORMWATER
Facility:	LOGAN INTERNATIONAL AIRPORT		
Facility Location:	ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128		

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
Status:	NetDMR Validated		

Considerations for Form Completion
effective 5 months after 10-1-07.

Principal Executive Officer			
First Name:	Title:	Telephone:	
Last Name:			

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units		
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.327	=	1.296	03 - MGD								01/30 - Monthly	ES - ESTIMA		
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA
					Value NODI																
00400	pH	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.					>=	6.0 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI						Z - COVID-19				Z - COVID-19						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.									Req Mon DAILY MX	19 - mg/L						
					Value NODI										Z - COVID-19						
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	28 - ug/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MO AVG				Req Mon DAILY MX	19 - mg/L					
					Value NODI						Z - COVID-19				Z - COVID-19						
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB		
					Permit Req.						Req Mon MOAV GEO				Req Mon DAILY MX	3Z - CFU/100mL					
					Value NODI						Z - COVID-19				Z - COVID-19						

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	003 External Outfall	Discharge:	003-C Porter Street Dry
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample						Req Mon DAILY MX					19 - mg/L	01/30 - Monthly	GR - GRAB	
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			
34030	Benzene	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	28 - ug/L	01/30 - Monthly	GR - GRAB
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample						Req Mon MO AVG					Req Mon DAILY MX	19 - mg/L	01/30 - Monthly	GR - GRAB
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			
61211	Enterococci	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample						Req Mon MOAV GEO					Req Mon DAILY MX	3Z - CFU/100mL	01/30 - Monthly	GR - GRAB
					Permit Req.														
					Value NODI						Z - COVID-19					Z - COVID-19			

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: rjoycelsp
Name: Rosanne Joyce
E-Mail: rjoyce@massport.com
Date/Time: 2020-05-09 17:08 (Time Zone: -04:00)

Report Last Signed By
User: rjoycelsp
Name: Rosanne Joyce

DMR Copy of Record

Permit			
Permit #:	MA0000787	Permittee:	MASSPORT AUTHORITY - LOGAN
Major:	No	Permittee Address:	ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909
Permitted Feature:	004 External Outfall	Discharge:	004-A MAVERICK ST OUTFALL-STORMWATER
Facility:		Facility Location:	LOGAN INTERNATIONAL AIRPORT ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:		Title:	
Last Name:		Telephone:	

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type					
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	0.087	=	0.599	03 - MGD								01/30 - Monthly	ES - ESTIMA			
					Permit Req.		Req Mon MO AVG		Req Mon DAILY MX	03 - MGD										01/30 - Monthly	ES - ESTIMA	
					Value NODI																	
00400	pH	1 - Effluent Gross	0	--	Sample						>=	6.0 MINIMUM		<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI											Z - COVID-19						
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
34030	Benzene	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
61211	Enterococci	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Sample													01/30 - Monthly	GR - GRAB			
					Permit Req.																	
					Value NODI																	

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By
MASSPORT AUTHORITY - LOGAN

User: cwashington@massport.com
Name: Cheryl Washington

DMR Copy of Record

Permit

Permit #: MA0000787	Permittee: MASSPORT AUTHORITY - LOGAN	Facility: LOGAN INTERNATIONAL AIRPORT
Major: No	Permittee Address: ONE HARBORSIDE DV., SUITE 200S BOSTON, MA 02128-2909	Facility Location: ONE HARBORSIDE DRIVE, SUITE 200S BOSTON, MA 02128
Permitted Feature: 004 External Outfall	Discharge: 004-C Maverick Street Dry	

Report Dates & Status

Monitoring Period: From 04/01/20 to 04/30/20	DMR Due Date: 05/15/20	Status: NetDMR Validated
---	-------------------------------	---------------------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Title:	Telephone:
Last Name:		

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00530	Solids, total suspended	1 - Effluent Gross	0	--	Value NODI						Req Mon MO AVG		<=	100.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
											Z - COVID-19			Z - COVID-19				
00556	Oil & Grease	1 - Effluent Gross	0	--	Value NODI								<=	15.0 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
														Z - COVID-19				
34030	Benzene	1 - Effluent Gross	0	--	Value NODI						Req Mon MO AVG			Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	GR - GRAB
											Z - COVID-19			Z - COVID-19				
38260	Surfactants [MBAS]	1 - Effluent Gross	0	--	Value NODI						Req Mon MO AVG			Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
											Z - COVID-19			Z - COVID-19				
61211	Enterococci	1 - Effluent Gross	0	--	Value NODI						Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB
											Z - COVID-19			Z - COVID-19				
74055	Coliform, fecal general	1 - Effluent Gross	0	--	Value NODI						Req Mon MOAV GEO			Req Mon DAILY MX	3Z - CFU/100mL		01/30 - Monthly	GR - GRAB
											Z - COVID-19			Z - COVID-19				

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
LoganAirport_SWPermit_MA0000787_RequestTemporarySuspension_SWMonitoring_3-23-2020.pdf	pdf	41676.0

Report Last Saved By

MASSPORT AUTHORITY - LOGAN

User:	rjoycelsp
Name:	Rosanne Joyce
E-Mail:	rjoyce@massport.com
Date/Time:	2020-05-09 17:07 (Time Zone: -04:00)

Report Last Signed By

User:	rjoycelsp
Name:	Rosanne Joyce